

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS PO Box 1450 Alexandria, Virginia 22313-1450 www.wepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
10/615,844	07/10/2003	Johann Kindlein	3560-0131P	9987		
	7590 03/28/200 ART KOLASCH & BI		EXAM	IINER		
PO BOX 747			HOPKINS, C	HOPKINS, CHRISTINE D		
FALLS CHUR	CH, VA 22040-0747		ART UNIT	ART UNIT PAPER NUMBER		
			3735			
			NOTIFICATION DATE	DELIVERY MODE		
			03/28/2008	ELECTRONIC		

# Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

mailroom@bskb.com

# Application No. Applicant(s) KINDLEIN ET AL. 10/615.844 Office Action Summary

omoorionon cummary	Examiner	Art Unit					
	CHRISTINE D. HOPKINS	3735					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address							
Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING D.  - Estrasons of time may be available under the provisions of 37 CFR 1.15  - If NO period for reply is a pacified above, the maximum statutory period in the property of the p	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin viil apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this o D (35 U.S.C. § 133).	,				
Status							
1) Responsive to communication(s) filed on 12 De	ecember 2007.						
2a) ☐ This action is FINAL. 2b) ☐ This	a)☑ This action is FINAL. 2b)☐ This action is non-final.						
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.					
Disposition of Claims							
4) Claim(s) 1-22 is/are pending in the application.							
4a) Of the above claim(s) is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>1-22</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/or	r election requirement.						
Application Papers							
9) The specification is objected to by the Examine	,						
10) The drawing(s) filed on is/are: a) acce		Examiner.					
Applicant may not request that any objection to the							
Replacement drawing sheet(s) including the correct			FR 1.121(d).				
11) The oath or declaration is objected to by the Ex							
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a)	⊢(d) or (f).					
a)⊠ All b)□ Some * c)□ None of:	. ,	, . ,					
1.⊠ Certified copies of the priority documents	s have been received.						
2. Certified copies of the priority documents	s have been received in Applicati	on No.					
<ol><li>Copies of the certified copies of the prior</li></ol>	ity documents have been receive	ed in this National	Stage				
application from the International Bureau	ı (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list	of the certified copies not receive	d.					
Attachment(s)							
Notice of References Cited (PTO-892)     Notice of Draftsperson's Patent Drawing Review (PTO-948)	Interview Summary     Paper No(s)/Mail Da						

3) Information Disclosure Statement(s) (FTO/SE/C8) 5) Notice of Informal Patent Application
6) Other: Paper No(s)/Mail Date \_\_\_\_\_.

Page 2

Application/Control Number: 10/615,844

Art Unit: 3735

#### DETAILED ACTION

This Office Action is responsive to the Amendment filed 12 December 2007.
 Claims 22 are now pending. The Examiner acknowledges the amendment to claim 1.

## Claim Rejections - 35 USC § 103

- The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- With regards to the "means for delivering...radiation energy" in claims 1, 8, 9, 10, this limitation meets the three-prong test per MPEP 2181 and thereby invokes 35 USC 112 6<sup>th</sup> paragraph.

Regarding claims 5 and 19, which recite a "catheter probe drive means for", claim 6 which recites "a catheter tube drive means for" and claim 10 which recites a "wire drive means for"; the examiner does not consider these claims to invoke 35 USC 112 6<sup>th</sup> paragraph. The "catheter probe drive means", "catheter tube drive means" and the "wire drive means" are all phrases referring to elements and therefore the word "means" has been used to indicate an apparatus.

 Claims 1-4, 6, 7, 11 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Edwards et al. (U.S. Patent No. 5536240) in view of Singh (U.S. Patent No. 6599237 B1).

Art Unit: 3735

5. Claim 1 - Edwards at al. teaches a catheter probe (182), having an elongated body with a circumferential surface, a distal end (186) and a proximal end (182), said elongated body of said catheter probe (184) (figure 13) having a longitudinal bore extending from said distal end towards at least one outlet opening (216) (figure 6) present in said circumferential surface near said proximal end (column 7, lines 19 – 29); a catheter tube (54) (figure 4) having a distal end and a proximal sharp end (56)(figure 5)(column 7, lines 29-30), which catheter tube is to be inserted with its proximal sharp end through said longitudinal bore of said elongated body, said outlet opening and through said urethral wall towards at least one desired location within the prostate to be treated (column 20, lines 39-52). Edwards et al. teaches a catheter probe as described above but does not teach the use of a urethral probe made of a material to be perforated.

6. Singh teaches a urethral probe (10) (figure 2, 2A) of sufficient size to accommodate other surgical instruments (column 2, lines 30-32). This sheath, as disclosed by Singh, "acts like an artificial protective lining for the body opening through which it is passed, e.g., the urethra" (Abstract). It is noted that the urethral probe is made of rubber (column 3, lines 63-67), as suggested by the instant specification, as the material to be perforated. The rubber material allows the urethral probe to be "perforated" at arbitrary points in the sense that it splits at different points along the separation line 71 as an oversized instrument is placed within it (column 6, lines 26-42). Furthermore, instruments including a catheter probe "can be inserted and removed by

Application/Control Number: 10/615,844

Art Unit: 3735

being passed into the body through the lumen of the sheath" (Abstract) and are thus movably accommodated within the urethral probe.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use a urethral probe composed of a material capable of being perforated as taught by Singh with a catheter probe of Edwards et al. to allow quick and more accurate positioning of a therapy delivering catheter while minimizing the discomfort to the patient (Singh column 3, lines 50-51).

- Claim 2 The combination as described above teaches a urethral probe that allows multiple insertions, removals and manipulations of various surgical instruments (column 2, lines 6-8).
- 8. Claim 3 Singh teaches a urethral probe as described above as an elongated self-supporting tube (10) with a proximal end (16) and distal end (14) and a longitudinal lumen (18) (figures 2, 2A) to be introduced transurethrally into the body of the patient (claim 6).
- Claim 4 Singh teaches a urethral probe as described above having an elongated tubular body (10) with a central longitudinal lumen (18) (figure 2) of sufficient size to accommodate elongated surgical devices (claim 1) (column 12, lines 66-67; column 13, line 1).
- 10. Claim 6 Edwards et al. teaches a catheter tube drive means for moving said catheter tube within said catheter probe by using control tabs (192 and 194) located on the handle portion (180) of the device (figure 13)(column 13, lines 41-44).

Art Unit: 3735

Claim 7 – Edwards discloses a flexible catheter tube (54)(column 9, lines 44-45)
 having a sharpened end (56)(figure 4) (column 7, lines 28-30).

- Claims 11 and 12 the urethral probe of Singh can be either a resilient, highly flexible material or a stiffer material (column 3, lines 64-67; column 4, lines 1-2).
- 13. The combination of Edwards et al. and Singh as described above is obvious over claims 1, 2, 3, 4, 7, 11 and 12 and complies with the invocation of 35 USC 112 6<sup>th</sup> paragraph as it shows an equivalent "means for delivering" since it performs the same function of delivering treatment to specific tissues within a body.
- 14. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Edwards et al. and Singh as applied to claim 1 above, and further in view of Shiber (U.S. Patent No. 5135531). The combination of Edwards et al. and Singh teaches a flexible catheter but does not disclose a catheter probe drive means for its placement and adjustment.
- Claim 5 the flexible catheter of Shiber can be advanced and rotated (column 3, lines 64-65) using a drive means (column 4, lines 40-46).
- 16. In views of the teachings of Shiber, it would have been obvious to one having ordinary skill in the art at the time the invention was made to use a drive means to position and reposition a catheter or tube, as described by the combination of Edwards et al. and Singh above, to reduce human error and increase the accuracy of positioning the device within the patient when compared to traditional manual methods as the drive means can be controlled by a computer or electronic device.

Art Unit: 3735

17. Claims 8-10, 18 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Edwards et al. and Singh as applied to claims 1 and 7, and further in view of Kindlein et al. (U.S. Patent 6454696 B1). The combination of Edwards et al. and Singh teaches the use of a catheter delivery device to deliver treatment to a particular location within the body but does not disclose a wire means to load the catheter delivery device and drive the treatment through the catheter into the tissue.

- 18. Claim 8 Kindlein et al. (U.S. Patent 6454696 B1) teaches a delivery method comprising at least one wire (132)(figure 12) having a distal end (column 5, lines 12-14) and a proximal end; and at least one energy emitting source (claim 1) to be inserted by means of said proximal end of said wire through said catheter tube (10)(figure 1) towards said location to be treated (column 5, lines 19-21).
- Claim 9 the apparatus of Kindlein et al. (U.S. Patent 6454696 B1) as described above comprises a means for inserting said energy source within the catheter tube (claim 19).
- Claim 10 Kindlein et al. (U.S. Patent 6454696 B1) teaches a means for delivering comprising a wire drive means for moving a wire together with an energyemitting source through a catheter (claims 1 and 20).
- 21. It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the catheter delivery device of the combination of Edwards et al. and Singh, with a wire drive means to deliver an energy source, in view

Page 7

Application/Control Number: 10/615,844 Art Unit: 3735

of the teachings of Kindlein et al. (U.S. Patent 6454696 B1) to eliminate the many specialized and delicate tasks involved with performing this method manually, and to

increase the accuracy in the placement of the treatment (column 1, lines 30-34).

- 22. Furthermore, the combination of Edwards et al. and Singh as described above does not disclose a method using a computer and treatment plan by which the delivery device is controlled.
- 23. Claim 18 Kindlein et al. (U.S. Patent 6454696 B1) teaches that the location within the tissue to be treated is monitored and controlled by a computer program (column 1, lines 38-40) according to planning information delivered by imaging means (7)(figure 1)(column 2, lines 43-49).
- 24. Claim 19 Kindlein et al. (U.S. Patent 6454696 B1) teaches a control means (12)(figure 1)(column 4, lines 25-30) for delivering treatment to the tissue comprising imaging means (7)(figure 1)(column 2, lines 43-49) and at least one computer planning treatment system (12a)(figure 1)(column 1, lines 38-40).
- 25. It would have been obvious to one having ordinary skill in the art at the time the invention was made to control the device as described above, in view of the teachings of Kindlein et al. (U.S. Patent 6454696 B1), using a computer program in combination with a treatment plan to administer treatment to a patient because it eliminates human error and increases efficiency (column 1, lines 30-34).

Art Unit: 3735

 Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Edwards et al. (U.S. Patent No. 5536240) and Jagpal (U.S. Patent No. 5257979) and further in view Webster (U.S. Patent No. 5569220).

- 27. Edwards at al. teaches a catheter probe (182), having an elongated body with a circumferential surface, a distal end (186) and a proximal end (182), said elongated body of said catheter probe (184) (figure 13) having a longitudinal bore extending from said distal end towards at least one outlet opening (216) (figure 6) present in said circumferential surface near said proximal end (column 7, lines 19 29); a catheter tube (54) (figure 4) having a distal end and a proximal sharp end (56)(figure 5)(column 7, lines 29-30), which catheter tube is to be inserted with its proximal sharp end through said longitudinal bore of said elongated body, said outlet opening and through said urethral wall towards at least one desired location within the prostate to be treated (column 20, lines 39-52). Edwards et al. teaches a catheter probe as described above but does not teach the use of a urethral probe.
- Jagpal teaches a urethral probe (70)(figure 5)(column 12, lines 16-17) with a lumen (76) through which a catheter probe is movable accommodated within (column 10, lines 17-21).
- 29. It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the urethral probe of Jagpal with the catheter device of Edwards et al. to allow repositioning of a catheter (column 5, lines 33-34), to reduce risk to the patient (column 12, lines 22-23). While Jagpal teaches a urethral probe through

Art Unit: 3735

which devices may be inserted to treat tissues within the body, it does not disclose the nature of the material from which the urethral probe is made.

- 30. Claim 13 Webster (U.S. Patent No. 5569220) teaches the use of a flexible catheter with reinforced mesh (column 2, lines 7-10). Merriam-Webster Online Dictionary teaches the term "grating" to mean a partition or covering of parallel or crossed bars. Compact's Oxford Dictionary defines "mesh" as material made of a network of wire or thread. Therefore the examiner is taking the term mesh to mean a grating of a plurality of filaments.
- 31. It would have been obvious to one of ordinary skill in the art at the time the invention was made to reinforce the sheath of Jagpal for use with the delivery catheter of Edwards et al., as described above, with the mesh of Webster (U.S. Patent No. 5569220) to provide high torsional stiffness with increased flexibility (column 1, lines 56-58). This combination improves the control over placement of the device within the body (column 1, line 56) and provides tissue protection while increasing the ease of manipulation of devices within the lumen.
- 32. Claims 14, 15, 16 and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Edwards et al., Japgal and Webster as applied to claim 13 above, and further in view of Tiller et al. (PGPUB US 2003/0091641 A1).
- 33. The delivery device as taught by the combination of Edwards et al., Japgal and Webster includes a delivery catheter comprising a catheter probe, a urethral probe and

Art Unit: 3735

a sheath made of a grating of a plurality of filaments but does not disclose specific types of materials or coatings.

- 34. Tiller et al. teaches that medical devices can be made of and coated with a variety of materials, including metals, polymers and bioabsorbable materials. Medical devices, including urinary catheters, are prone to biofilm formation on their surfaces ((0181)).
- Claim 14 Tiller et al. teaches that medical devices can be made of polymers ([0060]) and materials considered to be bioabsorbable ([0162]).
- Claim 15 Tiller et al. teaches that medical devices can be made of metals ((0060)).
- Claim 16 Tiller et al. teaches coating of medical devices with tissue friendly coatings including polymers ([0052]).
- Claim 17 Tiller et al. teaches coating of medical devices with polyurethanes ([0052]).
- 39. It would have been obvious to one having ordinary skill in the art at the time the invention was made to manufacture the device as described by Edwards et al., Singh and Japgal in view of the teachings of Tiller et al., using metal, polymers and/or a bioabsorbable material as these are common materials used in the art as well as materials which are able to be sterilized, therefore minimizing tissue damage and lowering the risk of infection ([0003]).

Art Unit: 3735

40. Claims 20 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Edwards et al. and Singh as applied to claim 1 above, and further in view of Bradshaw et al. (U.S. Patent No. 5139473). The device taught by the combination of Edwards et al. and Singh includes a catheter delivery device and a sheath but does not disclose the use of a computer or electronic system to deliver treatment to the patient.

- 41. Claim 20 Bradshaw et al. teaches the use of a radioactive energy sources in common medical procedure using guide tubes, including catheters, and wire drive means (column 17, claim 1).
- 42. Claim 21 the energy sources of Bradshaw et al. are high dose rate sources (column 1, lines 38 –47).
- 43. It would have been obvious to one having ordinary skill in the art at the time the invention was made to use the device as described above by the combination of Edwards et al. and Singh, in view of the teachings of Bradshaw et al., to administer a treatment using a high dose rate source and to control the delivery via a computer. Bradshaw discloses that other radiation treatments have disadvantages including "long residency times and the requirement for surgical implantation and removal, the latter with its attendant trauma to adjacent normal tissue" (column 1, lines 34-36). In comparison, Bradshaw states that the "significant offsetting advantage of (using high dose rate sources as) a treatment regime is its extreme speed" taking "only a few minutes" and "the patient carries no radioactive implants within him from the treatment center" (column 1, lines 44-47). When using high dose rate sources, it "cannot be

Page 12

Application/Control Number: 10/615,844

Art Unit: 3735

openly handled or exposed to treatment facility doctors and personnel" and "even relatively short exposures may result in radiation burns" therefore it "must be conducted remotely" (column 1, lines 48-52). With respect to radiation treatments other than seed implantation, the method of Bradshaw is a functional equivalent because it ablates the targeted tissue while leaving the surrounding tissue in tact.

- 44. Claim 22 is rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Edwards et al. and Singh as applied to claim 1 above, and further in view of Hung et al. (U.S. Patent No. 6391026 B1). The device taught by the combination of Edwards et al. and Singh includes a catheter delivery device and a sheath but does not disclose the use of an antenna as an energy emitting source to emit radiowaves.
- 45. Claim 22 Hung et al. teaches a method using an energy emitting source (409) including an antenna (410) (column 7, lines 9-12, lines 24-26) emitting radiowaves (column 13, lines 44-46)(figure 8c).
- 46. It would have been obvious to one having ordinary skill in the art at the time the invention was made to use the catheter device as described by the combination of Edwards et al. and Singh above with the radiowave emitting antenna of Hung et al. because this is a controllable method of ablating tissue within the body while leaving other tissue in tact (column 5, lines 3-6). Hung discloses that "other energy forms could also be used, such as light, ultrasound, radiation, microwave energy, heat, cold, direct current, and the like" (Abstract). Therefore the method of Hung is functionally equivalent.

Art Unit: 3735

### Response to Arguments

- 47. Applicant's arguments filed 12 December 2007 with respect to the rejection of claims 1-4, 6-7, and 11-12 under 35 U.S.C. 103(a) citing Edwards et al. ('240) in view of Singh ('237) have been fully considered and are not persuasive. Applicant contends that the combination of Edwards and Singh does not teach that the urethral probe can be perforated at arbitrary points relative to the prostate. However, this argument is not persuasive. Perforation line 71 enables perforation at arbitrary positions. The perforation line 71 is provided by molding longitudinally extending indentations 74 and 76 (col. 6, lines 38-42). These indentations further enable perforations "at arbitrary points" relative to the prostate. In view of the foregoing, the rejection of claims 1-4, 6-7, and 11-12 under 35 U.S.C. 103(a) citing Edwards et al. ('240) in view of Singh ('237) has been maintained.
- 48. Applicant's arguments filed 12 December 2007 with respect to the rejection of claim 5 under 35 U.S.C. 103(a) citing Edwards et al. ('240) in view of Singh ('237) and further in view of Shiber ('531); claims 8-10, 18 and 19 under 35 U.S.C. 103(a) citing Edwards et al. ('240) in view of Singh ('237) and further in view of Kindlein ('696); claim 13 under 35 U.S.C. 103(a) citing Edwards et al. ('240) in view of Jagpal ('979) and further in view of Webster ('220); claims 14-17 under 35 U.S.C. 103(a) citing Edwards et al. ('240), Jagpal ('979) and Webster ('220) further in view of Tiller (U.S. Pub. No. 2003/0091641); claims 20 and 21 under 35 U.S.C. 103(a) citing Edwards et al. ('240) in view of Singh ('237) and further in view of Bradshaw ('473); and claim 22 under 35

Application/Control Number: 10/615,844

Art Unit: 3735

U.S.C. 103(a) citing Edwards et al. ('240) in view of Singh ('237) and further in view of Hung ('026) have been fully considered and are maintained in view of the rejection supra.

#### Conclusion

 THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to CHRISTINE D. HOPKINS whose telephone number is (571)272-9058. The examiner can normally be reached on Monday-Friday, 7 a.m.-3:30 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Charles Marmor, II can be reached on (571) 272-4730. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/615,844

Art Unit: 3735

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Charles A. Marmor, II/ Supervisory Patent Examiner Art Unit 3735

/C. D. H./ Christine D Hopkins Examiner Art Unit 3735